



**HuberPure® 20-60 NSF
CALCIUM CARBONATE**

DESCRIPTION

A granular calcium carbonate with properties that make it especially useful in pH adjustment, corrosion control, and remineralization of water. This product is produced using pure, white, naturally occurring marble from our Marble Hill, GA facility. HuberPure is listed under NSF/ANSI® Standard 60 for Drinking Water Treatment Chemicals.

Cumberland Center II
3100 Cumberland Blvd
Suite 600
Atlanta, GA 30339
phone: (678) 247-7300
fax: (678) 247-2797
e-mail: hubermaterials@huber.com
www.hubermaterials.com

TYPICAL PHYSICAL PROPERTIES

Moisture (% , ASTM D280)
Loose Bulk Density (lb/ft³ , ASTM C110)
Compacted Bulk Density (lb/ft³ , ASTM C110)

HuberPure® 20-60 NSF

0.2
92
120

PARTICLE SIZE (SCREEN) ANALYSIS

Mesh size
+ 20
- 60
Uniformity Coefficient

%
0
1
1.4

TYPICAL CHEMICAL ANALYSIS

Calcium Carbonate
Calcium Assay
Magnesium Carbonate
Silica and Silicates
Other

%
96.0
38.5
2.5
0.4
1.5

MINERAL PROPERTIES

Color
Alkalinity (as NaOH, ASTM D1208)
pH (ASTM D1208)
Hardness (Hand. Of Chem. & Phy)
Solubility (Hand. Of Chem. & Phy)
Specific Gravity (ASTM D153)
Weight per Gallon (s.g. x 8.345)

Marble Hill, Georgia
White
0.4 mg/gm
9.4 (saturated solution)
3 Mohs, relatively non-abrasive
0.0035 gm/100 mL H₂O at 100°C
2.7
22.6 lbs/solid gallon

THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Refer to Huber's Standard Conditions of Sale for the only express warranties applicable to the Huber products. Products incorporating Huber products are not warranted by Huber. In no event is Huber liable for consequential damages. Hubercarb® is a registered trademark of J.M. Huber Corporation for calcium carbonate.